

| BCGS Area: 082E002 | | Location: Richter Mountain | | | | | |
|--------------------|---|----------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 3 | 1 | 5% | 5.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 17.50 |

| BCGS Area: 082E003 | | Location: Osoyoos Lake | | | | | |
|--------------------|---|------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 3 | 1 | 15% | 15.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 3 | 1 | 20% | 20.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 3 | 1 | 5% | 5.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 85.00 |

| BCGS Area: 082E004 | | | Location: East of Osoyoos | | | | |
|--------------------|---|--------------------|---------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 1 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 5.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 22.50 |

| BCGS Area: 082E005 | | | Location: Rock Creek | | | | |
|--------------------|---|--------------------|----------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 34.17 |

| BCGS Area: 082E006 | | | Location: West of Grand Forks | | | | |
|--------------------|---|--------------------|-------------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 41.67 |

| BCGS Area: 082E007 | | | Location: Midway | | | | |
|--------------------|---|--------------------|------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 1 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 25.83 |

| BCGS Area: 082E008 | | Location: Grand Forks | | | | | |
|--------------------|---|-----------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 3 | 1 | 15% | 15.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 2 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 10.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 63.33 |

| BCGS Area: 082E009 | | Location: East of Grand Forks | | | | | |
|--------------------|---|-------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 1 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 2 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 10.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 46.25 |

| BCGS Area: 082E011 | | Location: South of Keremeos | | | | | |
|--------------------|---|-----------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 13.33 |

| BCGS Area: 082E012 | | Location: East of Keremeos | | | | | |
|--------------------|---|----------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 3 | 1 | 15% | 15.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 1 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 34.17 |

| BCGS Area: 082E013 | | | Location: Oliver | | | | |
|--------------------|---|--------------------|------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 3 | 1 | 15% | 15.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 1 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 5.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 3 | 1 | 5% | 5.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 52.50 |

| BCGS Area: 082E016 | | Location: Westbridge | | | | | |
|--------------------|---|----------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 1 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 21.25 |

| BCGS Area: 082E018 | | Location: Pass Creek | | | | | |
|--------------------|---|----------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 18.33 |

| BCGS Area: 082E019 | | Location: Christina Lake | | | | | |
|--------------------|---|--------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | 1 | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| | | | | | | Total | 14.58 |

| BCGS Area: 082E021 | | Location: Keremeos | | | | | |
|--------------------|---|--------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 43.33 |

| BCGS Area: 082E022 | | | Location: East of Keremeos | | | | |
|--------------------|---|--------------------|----------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 1 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 5.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 22.50 |

| BCGS Area: 082E023 | | | Location: Okanagan River north of Tuguknuit Lake | | | | |
|--------------------|---|--------------------|--|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 3 | 1 | 15% | 15.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 2 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 10.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 3 | 1 | 5% | 5.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| Total | | | | | | | 53.33 |

| BCGS Area: 082E031 | | Location: West of Hedley | | | | | |
|--------------------|---|--------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | 2 | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | 2 | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | 2 | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 17.50 |

| BCGS Area: 082E032 | | | Location: Twin Lakes | | | | |
|--------------------|---|--------------------|----------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 2 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 10.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 54.17 |

| BCGS Area: 082E033 | | | Location: Okanagan Falls | | | | |
|--------------------|---|--------------------|--------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 44.17 |

| BCGS Area: 082E042 | | | Location: West of Penticton | | | | |
|--------------------|---|--------------------|-----------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 1 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 1 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 24.58 |

| BCGS Area: 082E043 | | | Location: Penticton | | | | |
|--------------------|---|--------------------|---------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 1 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| Total | | | | | | | 35.42 |

| BCGS Area: 082E045 | | | Location: Beaverdell | | | | |
|--------------------|---|--------------------|----------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 1 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 21.25 |

| BCGS Area: 082E052 | | | Location: Summerland | | | | |
|--------------------|---|--------------------|----------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 2 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 10.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 3 | 1 | 5% | 5.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 46.67 |

| BCGS Area: 082E053 | | | Location: Naramata | | | | |
|--------------------|---|--------------------|--------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 24.17 |

| BCGS Area: 082E061 | | Location: Upper Trout Creek | | | | | |
|--------------------|---|-----------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | 1 | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 14.58 |

| BCGS Area: 082E062 | | | Location: North of Summerland | | | | |
|--------------------|---|--------------------|-------------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 2 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 10.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 43.33 |

| BCGS Area: 082E063 | | | Location: North of Naramata | | | | |
|--------------------|---|--------------------|-----------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 2 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 10.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 3 | 1 | 5% | 5.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 1.3 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 32.08 |

| BCGS Area: 082E072 | | | Location: Peachland | | | | |
|--------------------|---|--------------------|---------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 3 | 1 | 20% | 20.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 50.00 |

| BCGS Area: 082E073 | | | Location: Okanagan Mountain | | | | |
|--------------------|---|--------------------|-----------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 1 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 5.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 35.00 |

| BCGS Area: 082E080 | | | Location: Edgewood | | | | |
|--------------------|---|--------------------|--------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 1 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 19.58 |

| BCGS Area: 082E082 | | Location: Westbank | | | | | |
|--------------------|---|--------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 2 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 10.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 50.83 |

| BCGS Area: 082E083 | | | Location: Kelowna | | | | |
|--------------------|---|--------------------|-------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 3 | 1 | 15% | 15.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 3 | 1 | 20% | 20.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 3 | 1 | 5% | 5.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| Total | | | | | | | 79.17 |

| BCGS Area: 082E084 | | Location: Mission Creek | | | | | |
|--------------------|---|-------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 3 | 1 | 15% | 15.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 2 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 10.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 55.00 |

| BCGS Area: 082E085 | | Location: Upper Mission Creek | | | | | |
|--------------------|---|-------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 1 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 30.42 |

| BCGS Area: 082E090 | | | Location: Needles | | | | |
|--------------------|---|--------------------|-------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 14.17 |

| BCGS Area: 082E093 | | | Location: Northwest of Kelowna | | | | |
|--------------------|---|--------------------|--------------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 1 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 5.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 42.50 |

| BCGS Area: 082E094 | | | Location: Northeast of Kelowna | | | | |
|--------------------|---|--------------------|--------------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 3 | 1 | 15% | 15.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 2 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 10.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| Total | | | | | | | 63.33 |

| BCGS Area: 082F001 | | Location: East of Rossland | | | | | |
|--------------------|---|----------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | 2 | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | 2 | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | 2 | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| | | | | | | Total | 20.42 |

| BCGS Area: 082F002 | | | Location: Rossland-Montrose | | | | |
|--------------------|---|--------------------|-----------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 30.00 |

| BCGS Area: 082F003 | | Location: Waneta Junction | | | | | |
|--------------------|---|---------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 14.17 |

| BCGS Area: 082F007 | | | Location: West of Creston | | | | |
|--------------------|---|--------------------|---------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | 1 | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | 2 | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| | | | | | | Total | 17.08 |

| BCGS Area: 082F008 | | Location: Creston | | | | | |
|--------------------|---|--------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 43.33 |

| BCGS Area: 082F010 | | | Location: Moyie River | | | | |
|--------------------|---|--------------------|-----------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 34.17 |

| BCGS Area: 082F012 | | | Location: Trail | | | | |
|--------------------|---|--------------------|-----------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 35.83 |

| BCGS Area: 082F013 | | | Location: Fruitvale | | | | |
|--------------------|---|--------------------|---------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 1 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| Total | | | | | | | 26.25 |

| BCGS Area: 082F014 | | Location: Salmo River | | | | | |
|--------------------|---|-----------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 10.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 30.00 |

| BCGS Area: 082F017 | | | Location: Northwest of Creston | | | | |
|--------------------|---|--------------------|--------------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 10.83 |

| BCGS Area: 082F018 | | | Location: Alice Siding, north of Creston | | | | |
|--------------------|---|--------------------|--|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 25.83 |

| BCGS Area: 082F019 | | | Location: Northeast of Creston | | | | |
|--------------------|---|--------------------|--------------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | 2 | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | 2 | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 16.25 |

| BCGS Area: 082F022 | | Location: South of Castelgar | | | | | |
|--------------------|---|------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 3 | 1 | 5% | 5.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 46.67 |

| BCGS Area: 082F024 | | Location: Upper Salmo River | | | | | |
|--------------------|---|-----------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | 2 | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 17.08 |

| BCGS Area: 082F031 | | Location: Lower Arrow Lake | | | | | |
|--------------------|---|----------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | 2 | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| | | | | | | Total | 20.83 |

Castlegar

| BCGS Area: 082F032 | | Location: | | | | | |
|---------------------------|---|--------------------|--------------------|------------------------|-------------------------|--------------------------|--------------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 55.00 |

| BCGS Area: 082F033 | | Location: Lower Kootenay River | | | | | |
|--------------------|---|--------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | 2 | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | 2 | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | 2 | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | 2 | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 22.50 |

| BCGS Area: 082F042 | | Location: West of Krestova | | | | | |
|--------------------|---|----------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 10.00 |

| BCGS Area: 082F043 | | | Location: Slocan Valley | | | | |
|--------------------|---|--------------------|-------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 1 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 3 | 1 | 5% | 5.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| Total | | | | | | | 36.25 |

| BCGS Area: 082F044 | | Location: East of Slocan Valley | | | | | |
|--------------------|---|---------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 3 | 1 | 5% | 5.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 17.50 |

| BCGS Area: 082F052 | | | Location: Northwest of Slocan Valley | | | | |
|--------------------|---|--------------------|--------------------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 14.17 |

| BCGS Area: 082F053 | | | Location: North of Slokan Valley | | | | |
|--------------------|---|--------------------|----------------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 12.50 |

| BCGS Area: 082F054 | | Location: West Arm Kootenay Lake | | | | | |
|--------------------|---|----------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 3 | 1 | 5% | 5.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 44.17 |

| BCGS Area: 082F063 | | | Location: Upper Slocan River | | | | |
|--------------------|---|--------------------|------------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 2 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 10.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 24.17 |

| BCGS Area: 082F065 | | Location: West of Balfour | | | | | |
|--------------------|---|---------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 1 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 1 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 5.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 3 | 1 | 5% | 5.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 23.75 |

| BCGS Area: 082F066 | | | Location: Balfour | | | | |
|--------------------|---|--------------------|--------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | 2 | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | 1 | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | 2 | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 27.50 |

| BCGS Area: 082F073 | | | Location: | Upper Slocan River | | | |
|--------------------|---|--------------------|-------------|--------------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 11.67 |

| BCGS Area: 082F086 | | Location: South of Kaslo | | | | | |
|--------------------|---|--------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | 1 | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 3 | 1 | 5% | 5.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 17.92 |

| BCGS Area: 082F091 | | Location: Arrow Lake Townsite | | | | | |
|--------------------|---|-------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | 2 | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| | | | | | | Total | 17.08 |

| BCGS Area: 082F096 | | | Location: Kaslo | | | | |
|--------------------|---|--------------------|-----------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 1 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 1 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 5.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 20.42 |

| BCGS Area: 082G005 | | Location: Grasmere | | | | | |
|--------------------|---|--------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | 2 | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 18.75 |

| BCGS Area: 082G014 | | Location: Koocanusa Lake | | | | | |
|--------------------|---|--------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 10.00 |

| BCGS Area: 082G021 | | Location: Moyie Lake | | | | | |
|--------------------|---|----------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | 2 | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | 2 | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | 2 | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 21.67 |

| BCGS Area: 082G024 | | Location: Baynes Lake | | | | | |
|--------------------|---|-----------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 35.83 |

| BCGS Area: 082G025 | | Location: Northeast of Baynes Lake | | | | | |
|--------------------|---|------------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 11.67 |

| BCGS Area: 082G031 | | Location: Upper Moyie Lake | | | | | |
|--------------------|---|----------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | 2 | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | 2 | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| | | | | | | Total | 16.67 |

| BCGS Area: 082G034 | | Location: Jaffray | | | | | |
|--------------------|---|--------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 5 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 25.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 5 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 6.3 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 56.25 |

| BCGS Area: 082G035 | | Location: East of Jaffray | | | | | |
|--------------------|---|---------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | 2 | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 13.75 |

| BCGS Area: 082G041 | | Location: Cranbrook-West | | | | | |
|--------------------|---|--------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 2 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 10.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 55.83 |

| BCGS Area: 082G042 | | Location: Cranbrook-East | | | | | |
|--------------------|---|--------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 3 | 1 | 15% | 15.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 1 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 5.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| Total | | | | | | | 51.67 |

| BCGS Area: 082G043 | | | Location: Wardner | | | | |
|--------------------|---|--------------------|--------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| Total | | | | | | | 44.17 |

| BCGS Area: 082G044 | | Location: Tie Lake | | | | | |
|--------------------|---|--------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 14.17 |

| BCGS Area: 082G045 | | Location: Fernie-south | | | | | |
|--------------------|---|------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 35.00 |

| BCGS Area: 082G051 | | Location: Northwest of Cranbrook | | | | | |
|--------------------|---|----------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 25.00 |

| BCGS Area: 082G052 | | Location: Cranbrook-Northeast | | | | | |
|--------------------|---|-------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 3 | 1 | 15% | 15.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 3 | 1 | 20% | 20.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 57.50 |

| BCGS Area: 082G053 | | Location: Norbury Lakes | | | | | |
|--------------------|---|-------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | 2 | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| | | | | | | Total | 20.83 |

| BCGS Area: 082G055 | | Location: East of Fernie Mountain | | | | | |
|--------------------|---|-----------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 13.33 |

| BCGS Area: 082G056 | | Location: Hosmer | | | | | |
|--------------------|---|--------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 9.17 |

| BCGS Area: 082G061 | | Location: Kimberley | | | | | |
|--------------------|---|---------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 3 | 1 | 15% | 15.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 42.50 |

| BCGS Area: 082G062 | | Location: St. Mary River | | | | | |
|--------------------|---|--------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 2 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 10.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 43.33 |

| BCGS Area: 082G071 | | Location: North of Kimberley | | | | | |
|--------------------|---|------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 19.17 |

| BCGS Area: 082G072 | | Location: Wasa Lake | | | | | | |
|--------------------|---|---------------------|-------------|-----------------|------------------|-------------------|-------|------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score | |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 | |
| | | 3 – 5 | 2 | | | | 0.75 | 0.0 |
| | | 1 to 2 | 1 | | | | 0.33 | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 | |
| | | 100-300 | 2 | | | | 0.75 | 10.0 |
| | | <100 | 1 | | | | 0.33 | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 | |
| | | 3 – 5 | 2 | | | | 0.75 | 10.0 |
| | | 1 to 2 | 1 | | | | 0.33 | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 | |
| | | 3 – 5 | 2 | | | | 0.5 | 2.5 |
| | | 1 to 2 | 1 | | | | 0.25 | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 1 | 1 | 20% | 0.0 | |
| | | 2 to 3 | 2 | | | | 0.5 | 0.0 |
| | | 1 | 1 | | | | 0.25 | 5.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 | |
| | | 2 to 3 | 2 | | | | 0.5 | 0.0 |
| | | 1 | 1 | | | | 0.25 | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 | |
| | | light to moderate | 2 | | | | 0.5 | 2.5 |
| | | nil to light | 1 | | | | 0.25 | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 | |
| | | 2 to 3 | 2 | | | | 0.5 | 0.0 |
| | | 1 | 1 | | | | 0.25 | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 | |
| | | 2 to 3 | 2 | | | | 0.5 | 0.0 |
| | | 1 | 1 | | | | 0.25 | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 | |
| | | 2 to 3 | 2 | | | | 0.5 | 0.0 |
| | | 1 | 1 | | | | 0.25 | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 | |
| | | 2 to 3 | 2 | | | | 0.5 | 0.0 |
| | | 1 | 1 | | | | 0.25 | 1.7 |
| | | | | | | Total | 36.67 | |

| BCGS Area: 082G076 | | Location: Sparwood | | | | | |
|--------------------|---|--------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | 1 | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 30.00 |

| BCGS Area: 082G082 | | Location: North of Wasa Lake | | | | | |
|--------------------|---|------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 1 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 1 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 5.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 31.25 |

| BCGS Area: 082G086 | | Location: North of Sparwood | | | | | |
|--------------------|---|-----------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 10.83 |

| BCGS Area: 082G092 | | Location: Skookumchuk | | | | | |
|--------------------|---|-----------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 26.67 |

| BCGS Area: 082J006 | | Location: Elkford | | | | | |
|--------------------|---|--------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | 2 | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 26.67 |

| BCGS Area: 082J011 | | | Location: Canal Flats | | | | |
|--------------------|---|--------------------|-----------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 28.33 |

| BCGS Area: 082J021 | | | Location: North end of Columbia Lake | | | | |
|--------------------|---|--------------------|--------------------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 11.67 |

| BCGS Area: 082J031 | | Location: Fairmont | | | | | |
|--------------------|---|--------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 30.00 |

| BCGS Area: 082J041 | | Location: Windemere | | | | | |
|--------------------|---|---------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 47.50 |

| BCGS Area: 082J051 | | | Location: North of Windemere | | | | |
|--------------------|---|--------------------|------------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | 2 | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | 2 | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| | | | | | | Total | 25.83 |

| BCGS Area: 082K003 | | Location: Northern part of Slocan Lake | | | | | |
|---------------------------|---|---|--------------------|------------------------|-------------------------|--------------------------|--------------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | 1 | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | 2 | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 17.08 |

| BCGS Area: 082K012 | | Location: South of Nakusp | | | | | |
|--------------------|---|---------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 11.67 |

| BCGS Area: 082K021 | | | Location: Nakusp-north | | | | |
|--------------------|---|--------------------|------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | 1 | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 17.92 |

| BCGS Area: 082K022 | | Location: Nakusp | | | | | |
|--------------------|---|--------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 13.33 |

| BCGS Area: 082K026 | | Location: South End of Duncan Lake | | | | | |
|--------------------|---|------------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 2 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 10.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 3 | 1 | 5% | 5.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 28.33 |

| BCGS Area: 082K050 | | Location: South of Invermere | | | | | |
|--------------------|---|------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 1 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 23.75 |

| BCGS Area: 082K060 | | Location: Invermere | | | | | |
|--------------------|---|---------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 3 | 1 | 5% | 5.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 54.17 |

| BCGS Area: 082K070 | | | Location: Radium | | | | |
|--------------------|---|--------------------|------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 2 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 10.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| Total | | | | | | | 34.17 |

| BCGS Area: 082K080 | | Location: Edgewater | | | | | |
|--------------------|---|---------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 1 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 1 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 5.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 31.25 |

| BCGS Area: 082K089 | | Location: Brisco-Columbia Valley | | | | | |
|--------------------|---|---|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | 1 | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| | | | | | | Total | 17.92 |

| BCGS Area: 082L003 | | | Location: Okanagan Centre | | | | | |
|--------------------|---|--------------------|---------------------------|-----------------|------------------|-------------------|-------|------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score | |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 | |
| | | 3 – 5 | 2 | | | | 0.75 | 0.0 |
| | | 1 to 2 | 1 | | | | 0.33 | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 | |
| | | 100-300 | 2 | | | | 0.75 | 10.0 |
| | | <100 | 1 | | | | 0.33 | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 | |
| | | 3 – 5 | 2 | | | | 0.75 | 0.0 |
| | | 1 to 2 | 1 | | | | 0.33 | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 | |
| | | 3 – 5 | 2 | | | | 0.5 | 0.0 |
| | | 1 to 2 | 1 | | | | 0.25 | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 | |
| | | 2 to 3 | 2 | | | | 0.5 | 0.0 |
| | | 1 | 1 | | | | 0.25 | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 | |
| | | 2 to 3 | 2 | | | | 0.5 | 0.0 |
| | | 1 | 1 | | | | 0.25 | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 | |
| | | light to moderate | 2 | | | | 0.5 | 2.5 |
| | | nil to light | 1 | | | | 0.25 | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 | |
| | | 2 to 3 | 2 | | | | 0.5 | 2.5 |
| | | 1 | 1 | | | | 0.25 | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 | |
| | | 2 to 3 | 2 | | | | 0.5 | 0.0 |
| | | 1 | 1 | | | | 0.25 | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 | |
| | | 2 to 3 | 2 | | | | 0.5 | 0.0 |
| | | 1 | 1 | | | | 0.25 | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 | |
| | | 2 to 3 | 2 | | | | 0.5 | 0.0 |
| | | 1 | 1 | | | | 0.25 | 1.7 |
| | | | | | | Total | 43.33 | |

| BCGS Area: 082L004 | | Location: Wood Lake | | | | | |
|--------------------|---|---------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 45.83 |

| BCGS Area: 082L013 | | | Location: Fintry | | | | |
|--------------------|---|--------------------|------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 1 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 3 | 1 | 5% | 5.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| Total | | | | | | | 27.92 |

| BCGS Area: 082L014 | | | Location: Oyamma | | | | |
|--------------------|---|--------------------|------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 1 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 5.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 3 | 1 | 5% | 5.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| Total | | | | | | | 43.33 |

| BCGS Area: 082L023 | | Location: Whiteman Creek | | | | | |
|--------------------|---|--------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 29.17 |

| BCGS Area: 082L024 | | | Location: Vernon | | | | |
|--------------------|---|--------------------|-------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 3 | 1 | 15% | 15.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| Total | | | | | | | 61.67 |

| BCGS Area: 082L025 | | Location: Coldstream Creek | | | | | |
|--------------------|---|----------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 40.00 |

| BCGS Area: 082L026 | | | Location: Lumby | | | | |
|--------------------|---|--------------------|-----------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 3 | 1 | 15% | 15.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| Total | | | | | | | 53.33 |

| BCGS Area: 082L027 | | | Location: East of Lumby | | | | |
|--------------------|---|--------------------|-------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 26.67 |

| BCGS Area: 082L028 | | Location: Cherryville | | | | | |
|--------------------|---|------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 17.50 |

| BCGS Area: 082L034 | | | Location: North of Vernon | | | | |
|--------------------|---|--------------------|---------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 3 | 1 | 15% | 15.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| Total | | | | | | | 59.17 |

| BCGS Area: 082L035 | | | Location: Silverstar | | | | |
|--------------------|---|--------------------|----------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 3 | 1 | 5% | 5.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| Total | | | | | | | 58.33 |

| BCGS Area: 082L036 | | | Location: North of Lumby | | | | |
|--------------------|---|--------------------|--------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 15.83 |

| BCGS Area: 082L044 | | Location: West of Armstrong | | | | | |
|--------------------|---|-----------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 3 | 1 | 15% | 15.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 55.00 |

East of Armstrong

| BCGS Area: 082L045 | | Location: | | | | | |
|---------------------------|---|--------------------|--------------------|------------------------|-------------------------|--------------------------|--------------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 1 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 5.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 3 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 3 | 1 | 5% | 5.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 3 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 63.33 |

| BCGS Area: 082L046 | | | Location: Trinity Creek east of Armstorg | | | | |
|--------------------|---|--------------------|--|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 7.50 |

| BCGS Area: 082L047 | | Location: South end of Mabel Lake | | | | | |
|--------------------|---|-----------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 5.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | 2 | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| | | | | | | Total | 17.08 |

| BCGS Area: 082L054 | | Location: West of Enderby | | | | | |
|--------------------|---|---------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 1 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 1 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 5.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 44.58 |

| BCGS Area: 082L055 | | | Location: Enderby | | | | |
|--------------------|---|--------------------|-------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 1 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 5.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 58.33 |

| BCGS Area: 082L056 | | | Location: East of Enderby | | | | |
|--------------------|---|--------------------|---------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 23.33 |

| BCGS Area: 082L064 | | Location: Salmon Arm | | | | | |
|--------------------|---|----------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 36.67 |

| BCGS Area: 082L065 | | Location: Grandview Bench | | | | | |
|--------------------|---|---------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 3 | 1 | 15% | 15.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 56.67 |

| BCGS Area: 082L067 | | | Location: Mabel Lake | | | | |
|--------------------|---|--------------------|----------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 14.17 |

| BCGS Area: 082L075 | | Location: Mara Lake | | | | | |
|--------------------|---|---------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| Total | | | | | | | 53.33 |

| BCGS Area: 082L099 | | Location: West of Revelstoke | | | | | |
|--------------------|---|------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 26.67 |

| BCGS Area: 082L100 | | | Location: Revelstoke | | | | |
|--------------------|---|--------------------|----------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 1 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 1 | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 5.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 24.58 |

| BCGS Area: 082N007 | | | Location: South of Golden | | | | |
|--------------------|---|--------------------|---------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | 1 | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| | | | | | | Total | 14.58 |

| BCGS Area: 082N008 | | Location: Columbia River, S. of Golden | | | | | |
|--------------------|---|--|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 8.33 |

| BCGS Area: 082N016 | | Location: Columbia River, S. of Golden | | | | | |
|--------------------|---|--|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 9.17 |

| BCGS Area: 082N017 | | Location: Columbia River, S. of Golden | | | | | |
|--------------------|---|--|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 8.33 |

| BCGS Area: 082N025 | | Location: Columbia Valley west of Golden | | | | | |
|--------------------|---|--|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | 1 | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 16.67 |

| BCGS Area: 082N026 | | Location: Golden | | | | | |
|--------------------|---|--------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | 3 | 1 | 20% | 20.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 51.67 |

| BCGS Area: 082N036 | | Location: North of Golden | | | | | |
|--------------------|---|---------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 10.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 42.50 |

| BCGS Area: 082N045 | | Location: North of Moberly, Columbia River | | | | | |
|--------------------|---|--|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| | | | | | | Total | 10.00 |

| BCGS Area: 092H030 | | Location: Similkameen Valley S. of Hedly | | | | | |
|--------------------|---|--|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 1 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 1 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 17.92 |

| BCGS Area: 092H038 | | Location: South of Princeton | | | | | |
|--------------------|---|------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | 1 | 0.25 | | 1.7 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| | | | | | | Total | 14.58 |

| BCGS Area: 092H040 | | Location: Hedley | | | | | |
|--------------------|---|--------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 2 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 2 | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 2.5 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 30.00 |

| BCGS Area: 092H048 | | Location: Princeton | | | | | |
|--------------------|---|---------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | 1 | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 5.0 |
| B. | Number of Reported Wells | > 300 | 3 | 2 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 10.0 |
| | | <100 | 1 | | 0.33 | | 0.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | 3 | 1 | 15% | 15.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 2 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 45.00 |

| BCGS Area: 092H049 | | Location: East of Princeton | | | | | |
|--------------------|---|-----------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 3 | 1 | 5% | 5.0 |
| | | light to moderate | 2 | | 0.5 | | 0.0 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| | | | | | | Total | 17.92 |

| BCGS Area: 092H057 | | Location: Tulameen | | | | | |
|--------------------|---|--------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | 2 | 0.75 | | 10.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | 3 | 1 | 5% | 5.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | 2 | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | 1 | 0.25 | | 1.7 |
| | | | | | | Total | 25.83 |

| BCGS Area: 092H058 | | Location: North of Princeton | | | | | |
|--------------------|---|------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 7.50 |

| BCGS Area: 092H069 | | Location: Northeast of Princeton | | | | | |
|--------------------|---|----------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | 1 | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 1.7 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 9.17 |

| BCGS Area: 092H077 | | | Location: North of Tulameen | | | | |
|--------------------|---|--------------------|-----------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 7.50 |

| BCGS Area: 092H079 | | Location: Northeast of Princeton | | | | | |
|--------------------|---|----------------------------------|-------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | 1 | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.33 | | 5.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | 1 | 0.25 | | 1.3 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | | 1 | 5% | 0.0 |
| | | light to moderate | 2 | 2 | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | 2 | 0.5 | | 2.5 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 16.25 |

| BCGS Area: 092H097 | | | Location: North of Tulameen | | | | |
|--------------------|---|--------------------|-----------------------------|-----------------|------------------|-------------------|-------|
| Item | Description | Measure | Point Scale | Points Assigned | Weighting Factor | Maximum Weighting | Score |
| A. | Number of Classified Aquifers | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| B. | Number of Reported Wells | > 300 | 3 | 1 | 1 | 15% | 0.0 |
| | | 100-300 | 2 | | 0.75 | | 0.0 |
| | | <100 | 1 | | 0.33 | | 5.0 |
| C. | Number of Ground Water Supply Systems | > 5 | 3 | | 1 | 15% | 0.0 |
| | | 3 – 5 | 2 | | 0.75 | | 0.0 |
| | | 1 to 2 | 1 | | 0.33 | | 0.0 |
| D. | Number of Ground Water Well and Spring Sources for Water Systems | > 5 | 3 | | 1 | 5% | 0.0 |
| | | 3 – 5 | 2 | | 0.5 | | 0.0 |
| | | 1 to 2 | 1 | | 0.25 | | 0.0 |
| E. | Water Quantity and Quality Issues/Concerns Reported | >3 | 3 | | 1 | 20% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| F. | Number of Water Planning or Research Projects active and proposed | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| G. | Degree of Mountain Pine Beetle Infestation | moderate to severe | 3 | 2 | 1 | 5% | 0.0 |
| | | light to moderate | 2 | | 0.5 | | 2.5 |
| | | nil to light | 1 | | 0.25 | | 0.0 |
| H. | Number of Active Climate Stations | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| I. | Number of Community Watersheds | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| J. | Number of Active Hydrometric Sites and Snow Pillow Courses | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| K. | Number of Parks and Protected Areas | > 3 | 3 | | 1 | 5% | 0.0 |
| | | 2 to 3 | 2 | | 0.5 | | 0.0 |
| | | 1 | 1 | | 0.25 | | 0.0 |
| | | | | | | Total | 7.50 |