An aerial photograph of a two-lane asphalt road winding through a lush, green mountain landscape. The road is flanked by dense evergreen forests. Several vehicles, including a white van, a black car, and a red car, are visible on the road. The road curves to the left in the distance. The background shows rolling hills and more forested areas under a clear sky.

COL-F25-W-4041

# Safe Passages for Wildlife in the Southern Canadian Rockies

2024-25 Final Report

**Prepared for:** Fish & Wildlife  
Compensation Program

**Prepared by:**

Clayton Lamb, PhD, RPBio *Wildlife  
Science Center, Biodiversity Pathways*

Emily Chow, BSc, RPBio *Ministry of  
Water Land and Resource Stewardship,  
Province of British Columbia*

Matt Jones, BSc, RPBio *Ministry of  
Transportation and Transit, Province of  
British Columbia*

Prepared with financial support from  
the Fish & Wildlife Compensation  
Program, on behalf of its program  
partners BC Hydro, the Province of B.C.,  
Fisheries and Oceans Canada, First  
Nations and Public stakeholders.

## Executive Summary

Highway 3 in southeast British Columbia (BC) is an obstacle for wildlife connectivity and a hotspot of wildlife-vehicle collisions. Southeast BC is home to one of the largest assemblages of large mammal species in North America. However, the highway fracture zone adversely affects these species at local (Elk Valley) and continental scales (Canada/USA), leading to numerous conservation challenges. These challenges include fragmenting crucial habitats and populations, and causing direct mortality due to collisions. Many species impacted by the highway, such as grizzly bears, wolverines, bighorn sheep, American badgers, elk, and mule deer, are of local conservation concern and hold high cultural values. More than a decade of research has contributed to our knowledge and proposed solutions to mitigate the impacts of Highway 3 on human and wildlife safety.

Here we report on a project to reduce wildlife-vehicle collisions and promote safe connectivity through exclusion fencing and wildlife crossing structures. The Reconnecting the Rockies: BC project proposes to fence 27 km of Highway 3 from Olsen Crossing east of Hosmer to the BC-Alberta border. On average, 41 roadkill are reported in this stretch each year, and this number may be as high as 124 after accounting for unreported roadkill. These collisions cost society at least 1.6 million per year, but the cost could be as high as 4.8 million. Similar mitigation projects in neighboring jurisdictions (AB, MT, WA, CO, etc.) have successfully reduced collisions with wildlife by >80%.

Guided by an abundance of past research and stakeholder engagement to identify key areas and best approaches, we broke ground on the project in 2020. We began retrofitting existing bridges to serve as underpasses, preparing the ground work for a large wildlife overpass, and future fencing. Between 2020-2024 we constructed 8.4 km of wildlife exclusion fencing (4.2 highway km's) and retrofitted 6 underpasses. The effectiveness monitoring program has had continued success with treatment and control cameras deployed at each site, over a million photos classified, and ongoing grizzly bear collaring. Early results show wildlife are readily using the underpasses within the fenced sections. Wildlife detection rates increased by 2-3 fold at the underpasses that have been fenced. It is still a bit premature to fulsomely assess the Phase 1 fence effectiveness at reducing collisions at this time, but initial inquiries suggest the fewer animals are being reported as struck. Roadkill reductions will be better assessed in future years when more years post-fencing is available, more phases are fenced, and roadkill data quality issues are addressed. We provide a summary of project progress, data collected to date, and recommendations to ensure project effectiveness.

Previously, work funded by FWCP aligned with FWCP's Columbia Upland and Dryland Action Plan, focusing on habitat-based actions with the priority action of improvement of connectivity habitats (COLUPD.ECO.HB.13.01 Improvement of connectivity habitats-P1) as the work we are doing directly increases safe connectivity across a major highway and reduces mortality caused by vehicle collisions. This year, the primary focus was monitoring and reporting through Action 18 of the plan (COLUPD.ECO.ME.18.01 Effectiveness monitoring of past projects-P1).

## Table of Contents

Executive Summary .....	2
1.0 Introduction.....	4
2.0 Goals and Objectives and Linkage of FWCP Actions Plans .....	6
3.0 Study Area .....	6
4.0 Methods and Results.....	8
4.1 Crossing Structure & Fencing Work .....	8
4.2 Effectiveness Monitoring.....	19
4.2.1 Methods .....	19
4.2.2 Results .....	20
4.3 Collaboration and Engagement .....	42
5.0 Discussion .....	42
6.0 Recommendations.....	45
7.0 Acknowledgements .....	47
8.0 References .....	47



## 1.0 Introduction

The Flathead and Elk Valleys of southeast British Columbia currently safeguard one of the greatest assemblages of large mammal species in North America (Laliberte and Ripple 2004; Dirzo et al. 2014; Wolf and Ripple 2017). Decades of research has highlighted the immense value of this landscape for transboundary wildlife populations, and the potential challenges as human impacts intensify (Lamb et al. 2020; Proctor et al. 2012), (Poole et al. 2016; McLellan 2015; Benz et al. 2016; Mowat et al. 2020). While there is growing appreciation of the recreational and resource extraction opportunities on this landscape, the combined impact of increased traffic volumes, growing housing developments, recreation use, and expanding coal and timber extraction have the potential to profoundly influence the shared wildlife and habitat corridors in the region.

Highway 3, which bisects southern British Columbia (BC) east to west, has been identified as a barrier to wildlife connectivity, and a source of direct mortality (Apps and Wildlife Conservation Society Canada 2007; Lamb et al. 2017; Proctor et al. 2015). Highway 3 creates a fracture zone for many large mammals that impacts their movement and dispersal at local and continental scales (Canada/USA) (Proctor et al. 2012). Multiple conservation threats stem from this fracture such as disconnecting important habitats, fragmenting populations, and direct mortality from collisions. Many of the species that are impacted by the highway are species of local conservation concern and hold high cultural values, such as grizzly bear, wolverine, bighorn sheep, American badger, elk and mule deer.

The current rate of wildlife-vehicle collisions has raised concerns among the public, conservation groups, and First Nations. On average, nearly half of all reported vehicle collisions with animals (primarily wildlife, but also domestic) occur in the Southern Interior of BC (average 4,700/year in the Interior, 11, 000/year in the province, ICBC). In the Interior, those collisions result in an average of 370 human injuries and 2 fatalities per year. Wildlife-vehicle collisions are especially high in southeast British Columbia's Kootenay region. Within the East Kootenay service area approximately 1,200 to 1,600 road killed animals are collected per year (Mainroads Group 2019). Along Highway 3 from the Alberta border to Jaffray area, BC Ministry of Transportation and Infrastructure's (MOTI) Wildlife Accident Reporting System (WARS) reports 1,443 animal carcasses were collected from 2012-2017, the majority being deer (~175/year) and elk (~55/year). However, the true number of animals killed is likely much greater. For example, three collared grizzly bears were killed by collisions on Highway 3, and none were recorded in any government databases because the animals died off the highway edge. Similarly, neither of the two collared elk killed by vehicles on numbered highways in the Elk Valley were recorded in government databases. Most vehicle strikes are likely unreported, due to the nature of these collisions.



Multiple jurisdictions in western North America have implemented wildlife crossing structures and fencing, including Alberta, British Columbia, Montana, Washington, Colorado, Wyoming, and Arizona. The effectiveness of these measures in reducing wildlife-vehicle collisions has been extensively studied. Results suggest these systems are generally >80% effective at reducing collisions with common wildlife species while providing safe passages for motorists. Projects are most effective when applied over sufficient distances (>5 highway km, Huijser et al. 2016), fences remain impermeable, and crossing structures are of sufficient dimension (Brennan, Chow, and Lamb, 2022). For example, in Banff, wildlife crossings, including underpasses and overpasses, have reduced wildlife-vehicle collisions by 80% overall, and ungulate-vehicle collisions by 89% (Clevenger and Barrueto 2014). Similarly, in Wyoming the installation of wildlife fencing, overpasses, and underpasses have reduced collisions with deer by 81% (Center for Large Landscape Conservation 2020). In Colorado, fencing between seven large underpasses has reduced collisions by 87% (Center for Large Landscape Conservation 2020). Overall, these studies demonstrate that wildlife crossing structures and fencing can be effective tools for reducing wildlife-vehicle collisions in western North America.

Despite wildlife-vehicle collisions threat to human and wildlife safety, the responsibility for implementing the well-tested solutions often falls in a grey area between government agencies, hindering progress. In British Columbia there is currently no law or policy that requires MOTI to undertake projects specifically for wildlife, nor does the mandate of MOF include road mitigation. This project, known as the Reconnecting the Rockies:BC (RTR:BC, formerly “Safe Passages for Wildlife in the Southern Canadian Rockies”), is exceptional as it’s lead by an innovative partnership that includes multiple government agencies that each have an interest in aspects of wildlife-vehicle collisions, and is also supported by partnerships with Ktunaxa First Nation, industry (Teck), elected officials, the highway contractor, and broad community support (including a transportation solutions working group formed in response to the Roadwatch project). These strong partnerships are expanding as the project moves forward. The goal of this project is to implement the highway mitigation actions that have been supported by decades of research. Further, we intend to use a rigorous before-after-control-impact design (Wauchope et al. 2021) to assess the efficacy of the highway mitigation, both in terms of reducing vehicle-wildlife collisions and supporting population connectivity. Generating evidence on the project efficacy will provide critical information for future mitigation investments in other parts of British Columbia and the development of policy to support such actions.

## 2.0 Goals and Objectives and Linkage of FWCP Actions Plans

The on the ground work directly supported Action 6 of the Upland and Dryland Action Plan around conservation and improvement of connectivity habitats as well as Action 13 aiming to improve connectivity (e.g. increased wildlife movement between mountain ranges and drainages) in upland and dryland habitats. We accomplish this by fencing off the highway corridor to reduce mortality in this section of highway and creating effective crossing structure to maintain safe passage from one side of the highway to another. This year, the work funded by FWCP primarily supported Action 18 to monitor and evaluate the effectiveness of previous FWCP upland and dryland ecosystems projects. We have a rigorous monitoring project to evaluate effectiveness of the mitigation work that will be ongoing to support and inform future highway mitigation projects.

## 3.0 Study Area

The RTR:BC project area is located in the southern Canadian Rockies, also known as the northwest portion of the Crown of the Continent Ecosystem. The Crown of the Continent Ecosystem sits atop the Continental Divide in the transboundary region of the Rocky Mountains. Because of its geographic position, this Canada-US transborder region represents one of the most strategically important regions in maintaining ecological

connectivity on the North American continent. The Crown of the Continent currently safeguards the greatest diversity of ungulate and carnivore species in North America and is recognized to be of global conservation significance.

Much of the Crown is situated between two core protected area complexes. The southern complex is composed of Waterton Lakes, Akamina-Kishinena, and Castle protected areas, while the northern complex is made up of Glacier and Banff-Yoho-Kootenay-Jasper National Parks. The largely unprotected lands stretching between are a vital land bridge connecting these refugia complexes. Once an intact landscape teeming with wildlife from Elk Pass to the US-Canadian border, currently these unprotected lands represent a multi-use landscape characterized by a matrix of towns, highways, resource extraction (logging and mining), and recreational activities (skiing, mountain biking, fishing, and hunting). Over 20 years ago, this land bridge for wildlife across the Crown was considered the most important transboundary conservation issue in North America (M. Soulé, pers. comm.). Indeed, recent connectivity models empirically support Dr. Soulé's assertions of this north-south corridors' importance at national and continental scales (Pither et al. 2023). However, habitat degradation has continued over the last two decades resulting in increasing bottlenecks and constricted movement corridors that impact connectivity.

Past research has highlighted the immense value of this landscape for wildlife populations, and the potential challenges as human impacts intensify. Today, the north-south Alexander-Michel corridor, located within the RTR:BC project in southeast BC is an important transboundary connection. Losing this connection, among others, will have lasting and irreparable effects on the ecological integrity and function of the Crown. The long-term survival of this vast assemblage of large mammals in this transboundary landscape depends on successful management that reconnects populations with these larger areas of secure habitat. Dozens of large mammals are killed each year in the Alexander-Michel corridor and beyond as they attempt to cross Highway 3. The RTR:BC project aims to substantially reduce the mortality from WVC's and improve connectivity in the Alexander-Michel corridor and adjacent habitats in southeast British Columbia.

The RTR:BC project area is located along Highway 3, with an eastern boundary near the Alberta border, and a western boundary between Sparwood and Hosmer (Figure 1). Within the 27 km project area there are ten proposed wildlife crossing structures. Of these ten structures, one is a large overpass (~50 m wide) in the Alexander-Michel corridor, two are purpose-built wildlife underpasses, and seven are existing open-span bridges over creeks (5) or railway tracks (2) that will be retrofitted to facilitate wildlife passage. Wildlife exclusion fencing will be erected along the 27 km project area to exclude wildlife from the highway and direct them towards the crossing structures.

The project is broken into six phases. We are striving to complete one phase per year between 2022-2027, but progress may be expedited or delayed depending on available funding.

## Reconnecting the Rockies:BC

Spanning 27 highway kilometers, planned to be completed over 6 building phases




Figure 1: Project location along Highway 3 in southeast British Columbia, Canada. The project is proceeding in 6 phases (depicted as number in white squares), which correspond to the following years: 1=2022, 2=2023, 3-6=2023-2027. Crossing structures are as follows: a) Olsen Overhead, b) Sparwood West, c) Michel, d) Old Town, e) Loop, f) Loop Overhead, g) Carbon, h) Alexander, i) Alexander-Michel, and j) Crowsnest.

## 4.0 Methods and Results

### 4.1 Crossing Structure & Fencing Work

To date we have completed Phases 1 and 2, and are on track to complete Phase 3 for 2025. We have constructed 8.4 km of fencing (4.2 highway km's) in 2020-2024 and retrofitted 6 underpasses. In 2021, we retrofitted Loop Bridge and Carbon Creek Bridge. These sites were selected as they offered an opportunity to improve wildlife movement at minimal cost. We also completed geotechnical surveys at the proposed overpass site. In 2022, we retrofitted Alexander Creek Bridge. We erected wildlife exclusion fence on both sides of the

highway between Loop and Carbon Bridges in 2022 to connect the two structures retrofitted in 2021. Work on Alexander Bridge completed in 2022 prepared for phase 2 fencing between Carbon and Alexander which was completed in fall 2024. In 2024 we also retrofitted Old Town and Michel Creek bridges with walking paths across the rip rap.

## Reconnecting the Rockies:BC Project Progress

4.2 km of highway fenced, 6 underpasses retrofitted, 3 ungulate guards installed




Figure 2: Progress on fencing and crossing structures to date. Completed structures and sections of fence highlighted in yellow. Phase 1 structures are Loop Bridge, Loop CP overhead, and Carbon Bridge, from left to right. Alexander bridge was retrofitted in 2022 to prepare for Phase 2 fencing.

## Loop Bridge

BEFORE



AFTER



*Image 2. Example of an underpass retrofit at Loop Bridge. Here a large open span bridge had the potential to provide an effective underpass below the highway, but rip rap and an old abutment blocked animals from easily entering the river edge. We removed a portion of this abutment and created a 10 ft wide path down to the underpass that makes the structure more enticing and safer for wildlife.*

# Alexander Bridge

BEFORE



AFTER



*Image 3. Example of an underpass retrofit at Alexander Bridge. Here a large open span bridge is in an ideal crossing location, but due to the rip rap right up to the creek there was limited opportunity for wildlife to cross under the bridge unless they went in the creek. While the creek is passable for some of the year, its is challenging to cross in the spring during high water, and during the winter when the creek is partially frozen. We engineered a solution that allowed a 1.5 m wildlife path through the rip rap while still protecting the infrastructure. In some high water years the smaller gravel from this path will be washed away but it can be replaced by hand when needed.*

## Michel Bridge

BEFORE



AFTER



*Image 4. Example of an underpass retrofit at Michel Mouth Bridge. A similar approach to Alexander Creek was used here, where a 1.5 m wide path was created through the large rip rap and filled with pea gravel to create a surface more amenable to wildlife use on both sides of the bridge.*

## Old Town Bridge

BEFORE



AFTER



*Image 5. Example of an underpass retrofit at Old Town. A similar approach to Alexander Creek was used on the NW side of the bridge, where a 1.5 m wide path was created through the large rip rap and filled with pea gravel to create a surface more amenable to wildlife. The SE side of the bridge was already very open and serving as an underpass with no work needed.*



*Image 6. Phase one wildlife exclusion fencing between Loop Bridge and Carbon Bridge.*



*Image 7. A jumpout along the Phase one fence. The jumpout was designed based on extensive testing from Arizona using elk, bighorn sheep, and deer (Gagnon et al. 2020). This design is simple and allows animals to safely exit the highway if needed, while precluding animals from jumping into the highway right of way in reverse. Where sheep are a concern the grooves between the blocks should be filled. The horizontal bar at 45 cm above the exit ramp reduces animals jumping back into the right of way.*



*Image 8. Phase two wildlife exclusion fencing between Carbon Bridge and Alexander Bridge. Chain link skirting to reduce animals digging under the fence shown at the bottom.*




Image 9. An collage of wildlife using the retrofitted Loop Bridge underpass following fence construction.



Image 10. An collage of wildlife using the retrofitted Loop CP underpass following fence construction.

## 4.2 Effectiveness Monitoring

### 4.2.1 Methods

The effectiveness monitoring is designed to assess the projects' effectiveness in increasing human and wildlife safety and improving wildlife connectivity. We are monitoring project effectiveness using remote cameras, wildlife telemetry, and MOTT's WARS database on wildlife collisions. These data will provide us with insights into the projects' effects on wildlife use of crossings, wildlife movement, as well as human and wildlife safety. The effectiveness monitoring is designed to determine if animals are using the structures to cross Hwy 3, and determine if mitigation results in a collision reduction that improves motorist and animal safety. Ensuring mitigation positively influences wildlife crossing and safety is important because we want the fencing to reduce collisions, while still ensuring animals are able to cross the highway. We will assess successful crossings and collision reductions before and after road mitigation efforts, with comparison to adjacent control sites in nearby areas (a before-after-control-impact design). Overall, the work is designed to inform adaptive changes to the project as lessons are learned in each year's assessment, provide BC and partners with a rigorous assessment of the projects' short term and long term effectiveness, and inform future collision reduction efforts elsewhere.


At existing structures, two cameras have been deployed under the structure on each side to capture the animals that cross before bridge retrofitting and fencing (i.e. the "treatment"). Monitoring then continues after treatment to assess changes. Paired control cameras (2 per site) are placed up to 1 km from the road crossing in a representative habitat on a wildlife trail to capture which animals are present in the area surrounding the crossing that we would expect to also be represented in similar frequency at the crossing structure. On sites that do not have an existing structure, control cameras are deployed in standard fashion and the treatment cameras are deployed on an existing wildlife trail near the highway (within 100 m). When the crossing structure is installed, a camera will be mounted to capture which animals use the crossing structure. Once images are collected, they are uploaded to Alberta Biodiversity Monitoring Institute's WildTrax portal, where a program coordinator assigns wildlife technicians to classify images recording species, sex, age, and where appropriate, whether they successfully crossed the structure.

Telemetry data for elk, bighorn sheep, and grizzly bear provide insights into individual animal responses to highways, fencing, and crossing structures, as well as fine scale movement data. We are leveraging previously collected elk and sheep telemetry data (2003-2022) and ongoing grizzly bear telemetry monitoring (2016-current) for this work. We are using all three datasets to assess animal use of the area before the project and ensure crossing locations are in ideal locations. We also monitoring grizzly bear responses during and after the project.

In addition to the remote camera monitoring and telemetry data, MOTT has committed to providing roadkill data from the WARS database on how many road-killed animals are picked up to so we can assess reductions in collisions following mitigation. Roadkill records from WARS represent our best estimate of animal vehicle collisions (and therefore risks to motorist safety) occurring along Highway 3. Currently, 4.2 km of highway has been protected by fencing. Assessment of roadkill reductions is done by comparing roadkill rates before and after mitigation within the fenced area and adjacent unfenced areas to assess the effect of fencing on reducing collisions while controlling for changes in collision rates due to changing animal population abundance, annual behaviour due to weather, etc.

## Reconnecting the Rockies:BC Effectiveness Monitoring


33 cameras (16 control & 17 treatment) at proposed wildlife crossing structure locations



*Figure 3: Cameras monitoring crossing structures (Treatment) and adjacent wildlife trails within 500 m of highway (Control).*

### 4.2.2 Results

Between 2020-2024 we collected a total of 1,458,644 photos from the treatment and control cameras in the RTR:BC project. After removing false triggers caused by wind, 1,164,431 photos have been captured of wildlife, people, and vehicles (Figure 4). The total number of photos increased since 2020, mostly due to an increase in the number of cameras deployed and the addition of monitoring sites at railway underpasses (Figure 5). In 2023 we fine tuned the programming of cameras to capture fewer images of trains, which reduced the total # of train images. Average monthly detection rates for wildlife varied by structure (Figure 6) and by location type (pre-treatment vs control, Figure 9). Notable structures with abundant wildlife using the structure or nearby controls were Alexander-Michel Overpass, Crowsnest Underpass, Loop Bridge, and Sparwood West (Figure 6 & Figure 9). Human use of the structures varied and needs to be monitored closely, and perhaps reduced, once fencing is in place 7).



*Figure 4: Total photo count across cameras by species and type for commonly detected species (>20 detections). Train photos decrease 2021 onwards due to camera setting changes to reduce the number of train photos captured*




Figure 5: Annual photo count across cameras by species and type for commonly detected species (>20 detections).




Figure 6: Average monthly detection rate for each camera.




Figure 7: Average monthly detection rate for people at each camera. Trains removed to increase comparison between structures. Loop overhead and Olsen overhead each see 20-200 trains per month

## Seasonal trends in detections

Sites ordered west to east




Figure 8: Seasonal trends in monthly detections for each site.

Wildlife were observed crossing under all existing bridges even before fencing guided them towards it. Excluding Alexander-Michel Overpass, Crowsnest Underpass, and Sparwood West, which didn't have infrastructure in place yet, the average monthly wildlife detection rate for control cameras was 28.6 and 8.3 for pre-treatment cameras (Figure 9). In one case, at the Loop CP Overhead near Corbin Road, wildlife were crossing at higher rates than at adjacent control cameras, suggesting this open-span bridge was serving as an effective structure even before fencing. We monitored crossing success as the proportion of wildlife that entered each structure and crossed through to the other side (Figure 10). Crossing rates were highest for Loop CP Overhead and Loop Bridge, and lowest for Alexander Creek Bridge and Michel Creek Bridge. Bighorn sheep had the lowest rates of successful crossings, while black and grizzly bear, and elk, had the highest rates of successful crossing. The limited sheep crossings were in line with extensive telemetry data that suggested sheep rarely cross Highway 3.

## Monthly detections between control and treatment sites

note y axis are different between sites




Figure 9: Detection rate comparison between treatment and control cameras.





Figure 10: Proportion of successful crossings observed (crossing success) at each site (A) and by species (B). A value of 1 means all individuals of that species who entered the structure were observed crossing through the camera field of view. A value of 0.5 would mean that only half the animals successfully crossed, while the other half turned back the way they came and did not cross.

We assessed monthly detection rates for structures within the Phase 1 fencing completed fall 2022. The before-after-control-impact design provided strong evidence that animals were dramatically increasing their use of the Carbon, Loop and Loop CP overhead structures following fencing (Figure 11). Carbon bridge, which is a small structure with limited potential as a crossing site due to low overhead dimensions, but even this structure saw a more than doubling in crossing rates post fencing. Compared to pre-fencing levels, wildlife detection rates increased post-fencing at the Carbon, Loop, and Loop CP overhead structures by 134%, 225% and 118%, respectively. Generally, most species increased their use of the structures following fencing, often exceeding detection rates found at control cameras (Figure 12). However, with only two years of data post fencing and some animals having low detection rates (0-3 detections per month) we are just starting to get a sense of how fencing is changing the use of these structures. Future years of monitoring on these sites and assessment of future phases will provide more robust insights.



*Figure 11: Before-after-control-impact assessment of detection rate before and after fencing at treatment cameras under structures and control cameras adjacent to structure in forest*




Figure 12: Comparison between control cameras and pre vs post fencing detection rates for common species at fenced sites. Average values for each location and species shown as dashed line.

We assessed monthly detection rates spatially by species and for control and treatment cameras (Figure 14 & Figure 15). Monthly detection rates varied between species due to their differing abundance on the landscape. Detections were greatest in the Alexander-Michel corridor, near the Corbin Road junction, and west of Elkview mine to Olsen Crossing.




Figure 13: Detections by species across control cameras only.



*Image 11. Example of vehicle parked within the Loop Underpass following changes in access across the CP tracks.*

## Detection by Species at Control Sites





Figure 14: Detections by species across control cameras only. Detections points are scaled to the exact number.

## Ungulate Detections at Control and Treatment Sites

Control sites shown as filled circles, treatment sites overlaid as open circles



## Carnivore





Figure 15: Detections by species across cameras for ungulates (top) and carnivores (bottom). Colored circles are control cameras, black outline are treatment cameras. Circle size indicates average monthly detection rate.

In Phase 5 we intend to install a wildlife underpass west of Sparwood, before Olsen Crossing (Figure 1). Two possible locations for the underpass have been identified. We installed wildlife cameras adjacent to these possible locations to assess wildlife use at these sites (Figure 16). The northern location is preferable from an engineering perspective but we wanted to compare wildlife use of each site. Wildlife detection rates from the cameras suggested the northern site is also preferable from a wildlife use perspective. Land tenure, specifically future development that could alter wildlife use remains a concern here and agreements with the City of Sparwood should be made before construction to reduce future impacts to wildlife connectivity around crossing structures.

## Sparwood West Location Refinement



*Figure 16: Average monthly detection rates for proposed north and south Sparwood West underpass sites. The north site is preferred from an engineering perspective, and appears to have higher wildlife detection too. Future land use on the east side of the highway needs to be considered.*

We are fortunate to have access to telemetry data from past (elk and sheep) and ongoing (grizzly bear) collaring projects that overlap with the RTR:BC project area. We have previously used some of these data to optimize the location of crossing structures (T. Lee, Clevenger, and Lamb 2019), and we continue to use these data to inform structure location and fencing considerations. The location of current structures appear to be well placed to facilitate north-south grizzly bear movement in the Alexander-Michel corridor (Figure 17), and key crossing areas for grizzly bear and elk throughout the 27 km including west of Sparwood, near Elkview mine, and Corbin area (Figure 18). The project will also safeguard an elk migration route between reclaimed portions of Elkview mine, Corbin, and Alberta (Figure 19). As the fence progresses we will assess grizzly bear responses to this new barrier and the safer crossings afforded by the crossing structures. Elk should be collared again once more fence phases are complete to assess elk migrations and movements in response to the project.

## Grizzly Bear Telemetry

Locations from 35 bears collected between 2016-2024, collars not equally distributed across area




Figure 17: Grizzly bear telemetry data collected between 2016-2023 in the Elk Valley. These data have been used to inform placement of crossing structures. As the fencing continues, collared bears will be monitored to assess crossing rates and habitat use before and after fencing. Note that the map does not accurately display the intensity of bear use/crossings because collars are not randomly distributed in relation to animal density. Lamb et al. (in review) has more details on this collaring project.

## Elk Telemetry

Locations from 26 elk collected between 2016-2022, collars not equally distributed across area




Figure 18: Elk telemetry data collected between 2016-2022 in the Elk Valley. These data have been used to inform placement of crossing structures. There are few collared elk in the valley at the moment. As the fencing progresses, we suggest collaring elk so their movements and migrations can be compared to those that occurred before fencing. Note that the map does not accurately display the intensity of elk use/crossings because collars are not randomly distributed in relation to animal density. Poole and Lamb (2022) has more details on this collaring project.

## Elk Migration Routes

Routes from 11 migratory elk collected between 2016-2022, collars not equally distributed across area





Figure 19: Elk migration routes from Poole and Lamb (2022). Most of these elk winter on the Big Ranch north of Sparwood, or to the east in Alberta. The RTR:BC project area covers a key migration route for Elk Valley elk.

## Bighorn Sheep Telemetry

Locations from >20 sheep collected between 2003-2020, collars not equally distributed across area



*Figure 20: Sheep telemetry data collected between 2003-2020 in the Elk Valley and Continental Divide. These data have been used to inform placement of crossing structures and assess sheep crossings in the past. Note that the map does not accurately display the intensity of sheep use/crossings because collars are not randomly distributed in relation to animal density. Poole et al. (2016) has more details on this collaring project.*

We assessed the number of roadkill annually detected along the project length, which we then used in conjunction with Table 1 to estimate the cost of wildlife-vehicle collisions to society (Figure 21). On average, 41 roadkill are reported each year, and this may be as high as 123 after accounting for roadkill not detected. Wildlife-vehicle collisions in our study area are estimated to cost society at least an estimated \$1.5 million, but the cost could be as high as \$4.5 million after accounted for undetected roadkill. We confirmed that the RTR:BC focal area is a hotspot for wildlife-vehicle collisions (Figure 22). The RTR:BC project area has the highest rate of wildlife-vehicle collisions for a highway traversing the Rocky Mountains in Southeast BC (including Highways 43 and 93). We note that areas of high wildlife-vehicle collision intensity do occur outside the mountains in the Rocky Mountain Trench near Jaffray and could be the focus of future work.




Figure 21: A) Number of roadkill detected along the project length per year. These counts are uncorrected for roadkill that are known to be missed in these data, and B) estimated cost of these collisions to society. Corrected costs account for unreported roadkill. Studies on collared elk, grizzly bear, and roadside surveys have indicated that only ~1 in 3 roadkill are reported. Grey shading shown over 2023 as data for this year are currently being checked for accuracy and cleaned by MOTT due to expected missing records.

## Regional Roadkill Costs





Figure 22: Estimated wildlife-vehicle collision costs along southeast BC Highway 3, 93, and 43. We estimate the annual wildlife-vehicle collision cost for each 5 km segment and note this is a minimum cost as it doesn't account for the many undetected roadkill that aren't found but likely still damaged a vehicle. The true cost could be ~3x higher per segment.

We assessed the influence of fencing along Phase 1 in reducing wildlife collisions (Figure 23). Phase 2 fencing was completed in Nov 2024 so it's currently too early to assess collision reductions in this section. Based on the data we had access to, the rate of collisions appears to have dropped in the Phase 1 section compared to the pre-fencing period (2015-2022). A few caveats are required for the Phase 1 interpretation, including 1) the "after" period is based solely off 2024 data, as 2023 has data quality issues which are actively being worked on by MOTT, and 2) it is known that some animals have been hit inside the Phase 1 section post fencing. They

presumably do not show up here either due to these animals not being picked up by the highway contractor, occurring only in 2023 and part of the missing data, or data quality issues such as reporting issues or spatial accuracy of pick up locations. The degree of roadkill reduction from completed project phases will become more robust as additional phases are completed, more post-fencing years accumulate, and the roadkill data error checking is completed by MOTT.



*Figure 23: Number of roadkill picked up along Highway 3 between Jaffray and AB Border per year, broken up by RTR:BC phases. 2023 (greyed out) as MOTT is still working to remedy some data issues. Dashed line indicates when fencing was installed in each phase. Studies on collared elk, grizzly bear, and roadside surveys have indicated that only 1 in 3 roadkill are reported.*

### 4.3 Collaboration and Engagement

Throughout this project, First Nations, stakeholder, and public engagement has been at the forefront. We continue to write articles and press releases through our partner's websites and social media updating on project plans and progress. Several local news outlets have written articles about project progress as well as larger outlets such as Canadian Geographic. Project partners Y2Y and Wildsight also hosted a community event in Fernie in March 2024, to engage with the public about wildlife-vehicle collisions, the significance of the regional landscape for wildlife movement, and to share updates on current and future Reconnecting the Rockies project phases to make Highway 3 safer. In addition, we attended a meeting with the Sparwood Fish and Game Association in October 2024 to address some concerns they had with the fencing and provide some more information. In addition, we have been working on a project website to continually provide updates to the public (<https://rockies.clarismedia.com/>). We expect to reach a broad audience given the scope of the project and profile of our partner organizations and will look for opportunities to engage at a higher level to gain support and funding for these next phases of the project and for the future overpass.

We have been working with Ktunaxa Nation Council, Aknusti Guardians, and Yaq?it ?a-knuq?i 'it to ensure the project is effective for wildlife, consistent with Ktunaxa values, and provides economic opportunities where appropriate. Since 2020 we have conducted multiple field trips with Ktunaxa members to tour the RTR:BC project and seek input on future, current, and past work. We have made several project changes following these field trips and based on input from Ktunaxa. For example, we included a human gate in the Phase 1 fencing to allow unimpeded access to a culturally important site, and installed signs to reduce human impact under structures in 2023. Additional comments have included a need for us to continue monitoring crossing structures to ensure an adequate number of animals cross after fencing, that predators do not hunt in the structures, and for us to incorporate what we learn from past phases into future phases. Beyond the RTR:BC footprint we also work with Ktunaxa and Shuswap First Nations to improve the effectiveness of existing collision reduction systems (Jaffray underpass and Kicking Horse Canyon) and future systems (Radium).

## 5.0 Discussion

The Reconnecting the Rockies: BC project area is focused on a wildlife-vehicle collision hotspot along Highway 3 bisecting the Rocky Mountains. Highway 3 transports thousands of motorists each day through wildlife corridors, winter range, and common feeding areas. This overlap between motorists and wildlife creates a dangerous situation for both parties. Data from MOTT suggests that traffic is increasing at least 3% per year along Highway 3. At least 41 medium to large mammals are found dead along the stretch of highway between the Alberta border and Hosmer, BC each year. The actual number of animals that die may be as high as 123. Wildlife-vehicle collisions within the RTR:BC project area are estimated to cost society at least an estimated \$1.5 million annually, but the cost could be as high as \$4.5 million. Fencing and wildlife crossing structures have been successfully used in neighbouring jurisdictions to dramatically reduce wildlife-vehicle collisions (>80%). The RTR:BC project aims fence and build crossing structures along the projects 27 km length to keep people and wildlife safer by reducing reduce collisions and allowing safer passages for both.

We have successfully constructed 8.4 km of fencing (4.2 highway km's) in 2020-2024 and retrofitted 6 underpasses. The underpasses are all being used by wildlife, and we have observed increased wildlife use of all Phase 1 underpasses following the completion of the Phase 1 fencing in fall 2022.

We expected limited collision reductions for 2023-2024 given that phase 1 and 2 fencing only protects 4.2 km of highway, but we expect to see more collision reduction as the fence is extended in future phases. Indeed, Huijser et al. (2016) provide evidence that fences <5 km typically reduce collisions by only ~50% (0-94%), while fences >5 km typically reduced collisions by >80%. The increased effectiveness primarily stems from longer

fences exposing less of the highway to the fence ends where animals can breach the highway exclusion. The RTR:BC project aims to eventually fence 27 highway kms, which will far surpass the 5 km threshold (Huijser et al. 2016).

The RTR:BC project has valued continued enjoyment of the landscape by people in its designs by installing gates through the fence to allow fishers to access the river, and ungulate guards across prominent side roads such as Alexander Creek to allow unimpeded access for hunters, shooters, and recreational users. Signs will be posted at each gate to promote proper use of the gates (Image 12). While ensuring users continue to access preferred areas we also need to balance the needs of wildlife, especially at the crossing structures. In 2022, Ministry of Forests implemented a 400 meter no shooting area around phase one to allow animals safe passage near the crossing structures, and this no shooting area will be extended along the highway as future phases are completed. Based on the camera data collected to date, people are a prominent visitor at many of the crossing structures. Most use relates to fishing under the structures but there is occasional swimming, picnicking, or water monitoring. Other jurisdictions have seen evidence that human use can inhibit wildlife use of crossing structures, but the effects vary by species (Barrueto, Ford, and Clevenger 2014). We will want to reduce the impacts of human use under the structures once the fences are erected and these structures become the primary conduits for animal movement. In 2023 we installed signage around the crossing structures to inform users that these are sensitive areas (Image 13, 14).

# PUBLIC ACCESS

Wildlife crossing structures and fencing have been installed along sections of Highway 3 to increase wildlife and motorist safety. These gates have been installed to allow public access.

**Please close and latch the gates after you use them to prevent wildlife from entering the roadway.**



**Highway crossing systems keep motorists and wildlife safer and more connected.**

**THANK YOU**  
for doing your part  
to help wildlife!




**RAPP: REPORT ALL POACHERS AND POLLUTERS**  
24-Hour Hotline: 1 877 952-RAPP (7277) | [rapp.bc.ca](http://rapp.bc.ca)  
*Your co-operation is appreciated. Thank you for helping protect the wildlife and habitat in this area!*

Image 12. Signage that will be installed at access gates to promote proper use.

# IMPORTANT WILDLIFE MOVEMENT AREA

Wildlife crossing structures and fencing have been installed along sections of Highway 3 to increase wildlife and motorist safety. These structures are designed for wildlife use and must have minimal human disturbance to be effective.

**Please refrain from using wildlife crossings and recreating in their immediate vicinity. Please allow wildlife to use these structures without disruption.**



**Highway crossing systems  
keep motorists and wildlife  
safer and more connected.**

**THANK YOU  
for doing your part  
to help wildlife!**



**RAPP: REPORT ALL POACHERS AND POLLUTERS**

24-Hour Hotline: 1 877 952-RAPP (7277) | [rapp.bc.ca](http://rapp.bc.ca)

*Your co-operation is appreciated. Thank you for  
helping protect the wildlife and habitat in this area!*

Image 13. Signage that will be installed around crossing structures to educate users on the importance of minimizing disturbance.



*Image 14. Signage installed at the entrance to the Loop Bridge.*

## 6.0 Recommendations

The project is progressing well and it was encouraging to see the first section of fence installed in 2022 and a second section in 2024. The retrofitting of underpasses appears to be successful (wildlife were detected using all retrofitted structures) and the changes will encourage increased wildlife use. Fencing and retrofitted underpasses at Carbon Bridge, Loop Bridge and Loop CP overhead produced 2-3 fold increases in wildlife detection rates at these structures. There are early signs of a reduction in wildlife-vehicle collisions within the Phase 1 fence, but the sample sizes are small and roadkill data accuracy and completeness is still a work in progress.

Compared to the typical bridges on the project where there is a good height clearance for wildlife movement under the structure, Carbon Bridge is a small structure with low clearance nestled in a canyon. The constrained dimensions of the Carbon Bridge structure are fixed, therefore mitigative improvements are restricted to improving the line of site and ability of wildlife to get to the entrance. Work to date has improved the southwest entrance, but it is our recommendation that more fill is removed to reduce the slope required to enter the structure and increase the opening of the entrance overall. In addition, the phase 1 fencing has further

constrained this southwest entrance and we recommend ~50 meters of fencing be realigned closer to the highway to increase the area animals have to access this structure.

Exclusion fencing is the heart of a wildlife collision reduction system. Excluding wildlife from the highway is the key to reducing collisions and ensuring effective delivery of the project. Weak points in the fence include the open ends, areas where animals can dig under the fence, ungulate guards, and jump outs. Fence ends will become increasingly less of a problem as the fence gets longer. We support MOTT's approach to whenever possible tie the fence ends into a bridge or similar structure, which will reduce wildlife breaching the exclusion area. All fencing needs to have protection from wildlife that may dig under the fence. Undulating terrain is typical along the project length and small gaps will emerge in the fence that animals can slip under or dig out. Canids (coyotes, foxes, and wolves) and Ursids (grizzly and black bears) are particularly adept at digging under. Ideally additional fencing is buried in the ground, as was done in Banff National Park as a strategy to reduce breaches onto the Highway. In many cases this may be cost prohibitive, or logistically challenging due to rocky ground etc. If additional fencing cannot be buried, we recommend attaching 6 ft chain link to the bottom of the wildlife fence and draping it along the ground. This will create at least a 5 ft barrier along the ground that will reduce risk of most animals from digging under. This draped chain link should be secured to the ground possibly with rip rap or ground stakes. These recommendations of attaching chain link to the bottom were used in the Phase 2 fencing completed in 2024.

There are many land owners and multiple-use objectives along the project length. As a result, a number of ungulate guards will be installed to allow access off the highway. Ungulate guards can successfully exclude wildlife but care is needed to ensure these structures are not breached. Fences need to be tied into ungulate guards in such a way that animals are not able to sneak between the guard and the fence end. Winter is a challenging time because snow builds up between the gaps in the guard, or linearly across the guard where the plow pushes snow to the side. We recommend that the maintenance contractor could help ensure ungulate guards remain effective by removing snow between the bars and from the edges.

The RTR:BC team should also consider human use of the structures, which is known to decrease wildlife use. The monitoring data provide insights into the intensity of human use of these structures, which will be increasingly important to manage after fencing is in place and these crossings are the only places animals can use to traverse the highway.

Concerns have been raised in the past about forcing animals into underpasses that have trains going through them (railway overheads). These are legitimate concerns and we are monitoring these underpasses closely. The Loop CP overhead is one such structure that has a train track going through it that has been fenced. Our data suggest that 150-370 trains go through this structure each month and train volumes are similar to past years or slightly increasing. Early results suggest that animals were already using this underpass prior to fence construction at high rates (higher than controls) and post fencing this use increased by >2x. We are not aware of any collisions between trains and wildlife under these structures yet, but are monitoring the area closely. Notably, there is ample room for wildlife to cross through these structures without being on the tracks, which will reduce risk. For example, there is a dirt trail that goes under the structure beside the railway that provides enough room to drive a truck under. Still, some animals choose to follow the tracks, but are only constricted under the underpass for seconds as they cross, which is unlikely to result in high rates of collisions. Overall the number of trains per day is orders of magnitude fewer than the number of cars per day on the highway and we expect many fewer collisions for animals crossing under the overheads compared to crossing the highway. Regardless, attention will need to be paid to ensure collisions are minimized under the overheads. One present risk is the unmitigated spilling of grain that occurs on the tracks that attracts wildlife. Collaboration with CP to solve this issue, or to do focal cleanups around crossing structures is recommended.

Funding remains a challenge on this project, especially as it pertains to the Alexander-Michel overpass, which is the cornerstone of the project but remains unfunded. The RTR:BC team has been working hard to find funding each year which has allowed for steady progress towards the project goals. The cost for fencing has been higher than expected (>\$425,000 per fence km) which has strained budgets and progress. A dedicated strategy for funding will be needed to complete the project on time, especially as costs will rise substantially in the latter phases which have purpose-built underpasses and overpasses.

## 7.0 Acknowledgements

We would like to acknowledge the huge contributions from our team members and their organizations: Duane Wells (MOTI), Candace Batycki and Tim Johnson (Y2Y), Tracy Lee (Miistakis Institute), and Randal Macnair (Wildsight). The Ktunaxa Nation and member communities have been integral supporters of this work, providing support in principle, advice on numerous field trips, and have helped us keep the big picture in mind: that we need to keep people and animals safe on highways and generally help them both move around the landscape in a good way. We have countless others to thank that have contributed to this work in the past year and before. This work could not have been completed without their work, advice, and guidance. To all those who have helped pave the way, thank you.

This work is made possible through financial support from the following groups: Fish and Wildlife Compensation Program, Habitat Conservation Trust Foundation, Parks Canada National Program for Ecological Corridors, Conservation Economic Stimulus Initiative, Ministry of Transportation and Infrastructure, Ministry of Forests, Lands and Natural Resource Operations and Rural Development, Insurance Corporation of BC, Liber Ero Fellowship Program, Wildsight, and the Yellowstone to Yukon Conservation Initiative.

## 8.0 References

- Apps, Clayton D, and Wildlife Conservation Society Canada. 2007. *Carnivores in the Southern Canadian Rockies: Core Areas and Connectivity Across the Crowsnest Highway*. Toronto, Ont.: Wildlife Conservation Society Canada. <http://www.deslibris.ca/ID/207938>.
- Banks, Brian. 2021. "Animal Crossing: Reconnecting North America's Most Important Wildlife Corridor." *Canadian Geographic*. <https://canadiangeographic.ca/articles/animal-crossing-reconnecting-north-americas-most-important-wildlife-corridor/>.
- Barrueto, Mirjam, Adam T. Ford, and Anthony P. Clevenger. 2014. "Anthropogenic Effects on Activity Patterns of Wildlife at Crossing Structures." *Ecosphere* 5 (3): art27. <https://doi.org/10.1890/ES13-00382.1>.
- Benz, Robin A., Mark S. Boyce, Henrik Thurfjell, Dale G. Paton, Marco Musiani, Carsten F. Dormann, and Simone Ciuti. 2016. "Dispersal Ecology Informs Design of Large-Scale Wildlife Corridors." Edited by Marco Apollonio. *PLOS ONE* 11 (9): e0162989. <https://doi.org/10.1371/journal.pone.0162989>.
- Brennan, Liam, Emily Chow, and Clayton Lamb. 2022. "Wildlife Crossing Structure Size, Distribution, and Adherence to Expert Design Recommendations." *PeerJ* 10:e14371. <https://doi.org/10.7717/peerj.14371>.
- Center for Large Landscape Conservation. 2020. "Reducing Wildlife Vehicle Collisions by Building Crossings: general Information, Cost Effectiveness, and Case Studies from the u.s."

- Clevenger, AP, and M Barrueto. 2014. "Trans-Canada Highway Wildlife Monitoring and Research." Dirzo, R., H. S. Young, M. Galetti, G. Ceballos, N. J. B. Isaac, and B. Collen. 2014. "Defaunation in the Anthropocene." *Science* 345 (6195): 401–6. <https://doi.org/10.1126/science.1251817>.
- Huijser, Marcel P., Elizabeth R. Fairbank, Whisper Camel-Means, Jonathan Graham, Vicki Watson, Pat Basting, and Dale Becker. 2016. "Effectiveness of Short Sections of Wildlife Fencing and Crossing Structures Along Highways in Reducing Wildlifevehicle Collisions and Providing Safe Crossing Opportunities for Large Mammals." *Biological Conservation* 197: 61–68. <https://doi.org/10.1016/j.biocon.2016.02.002>.
- Laliberte, Andrea S., and William J. Ripple. 2004. "Range Contractions of North American Carnivores and Ungulates." *BioScience* 54 (2): 123. [https://doi.org/10.1641/0006-3568\(2004\)054\[0123:RCONAC\]2.0.CO;2](https://doi.org/10.1641/0006-3568(2004)054[0123:RCONAC]2.0.CO;2).
- Lamb, Clayton T., Adam T. Ford, Bruce N. McLellan, Michael F. Proctor, Garth Mowat, Lana Ciarniello, Scott E. Nielsen, and Stan Boutin. 2020. "The Ecology of Human carnivore Coexistence." *Proceedings of the National Academy of Sciences* 117 (30): 17876–83. <https://doi.org/10.1073/pnas.1922097117>.
- Lamb, Clayton T., Garth Mowat, Bruce N. McLellan, Scott E. Nielsen, and Stan Boutin. 2017. "Forbidden Fruit: Human Settlement and Abundant Fruit Create an Ecological Trap for an Apex Omnivore." *Journal of Animal Ecology* 86 (1): 55–65. <https://doi.org/10.1111/1365-2656.12589>.
- Lamb, Clayton T., Laura Smit, Garth Mowat, Bruce McLellan, and Michael Proctor. 2023. "Unsecured Attractants, Collisions, and High Mortality Strain Coexistence Between Grizzly Bears and People in the Elk Valley, Southeast British Columbia (in Prep)." *Conservation Science and Practice*.
- Lee, Tracy S., Kimberly Rondeau, Rob Schaufele, Anthony P. Clevenger, and Danah Duke. 2021. "Developing a Correction Factor to Apply to Animalvehicle Collision Data for Improved Road Mitigation Measures." *Wildlife Research* 48 (6): 501–10. <https://doi.org/10.1071/WR20090>.
- Lee, Tracy, Dr Anthony P Clevenger, and Dr Clayton Lamb. 2019. "Amendment: Highway 3 Transportation Mitigation for Wildlife and Connectivity in Elk Valley of British Columbia." Calgary, Alberta.
- Mainroads Group. 2019. "Winter Operations FAQ | Mainroad East Kootenay Contracting LP - Mainroad Group." <https://mainroad.ca/mainroad-east-kootenays-contracting-winter-operations-faqs/>.
- McLellan, Bruce N. 2015. "Some Mechanisms Underlying Variation in Vital Rates of Grizzly Bears on a Multiple Use Landscape." *The Journal of Wildlife Management* 79 (5): 749–65. <https://doi.org/10.1002/jwmg.896>.
- Mowat, Garth, Anthony P. Clevenger, Andrea D. Kortello, Doris Hausleitner, Mirjam Barrueto, Laura Smit, Clayton Lamb, BenJAMIN DorsEy, and Peter K. Ott. 2020. "The Sustainability of Wolverine Trapping Mortality in Southern Canada." *The Journal of Wildlife Management* 84 (2): 213–26. <https://doi.org/10.1002/jwmg.21787>.
- Palm, Eric C, Erin L Landguth, Zachary A Holden, Casey C Day, Clayton T Lamb, Paul F Frame, Andrea T Morehouse, et al. n.d. "Corridor-Based Approach with Spatial Cross-Validation Reveals Scale-Dependent Effects of Geographic Distance, Human Footprint and Canopy Cover on Grizzly Bear Genetic Connectivity."
- Pither, Richard, Paul O'Brien, Angela Brennan, Kristen Hirsh-Pearson, and Jeff Bowman. 2023. "Predicting Areas Important for Ecological Connectivity Throughout Canada." Edited by Julian Aherne. *PLOS ONE* 18 (2): e0281980. <https://doi.org/10.1371/journal.pone.0281980>.

Poole, Kim, and Clayton Lamb. 2022. "Migration, Movements and Survival in a Partially Migratory Elk Population in Southeast British Columbia."

Poole, Mr Kim, Dr Robert D Serrouya, Irene E Teske, and Mr Kevin Podrasky. 2016. "Bighorn Sheep Winter Habitat Selection and Seasonal Movements in an Area of Active Coal Mining."

Proctor, Michael F., Scott E. Nielsen, Wayne F. Kasworm, Chris Servheen, Thomas G. Radandt, A. Grant Machutchon, and Mark S. Boyce. 2015. "Grizzly Bear Connectivity Mapping in the Canada-United States Trans-Border Region: Grizzly Bear Connectivity Mapping." *The Journal of Wildlife Management* 79 (4): 544–58. <https://doi.org/10.1002/jwmg.862>.

Proctor, Michael F., David Paetkau, Bruce N. McLellan, Gordon B. Stenhouse, Katherine C. Kendall, Richard D. Mace, Wayne F. Kasworm, et al. 2012. "Population Fragmentation and Inter-Ecosystem Movements of Grizzly Bears in Western Canada and the Northern United States: Fragmentation de La Population Et Mouvements Inter-Ecosystèmes Des Ours Grizzlis Dans L'ouest Du Canada Et Le Nord Des États-Unis." *Wildlife Monographs* 180 (1): 1–46. <https://doi.org/10.1002/wmon.6>.

Wauchope, Hannah S., Tatsuya Amano, Jonas Geldmann, Alison Johnston, Benno I. Simmons, William J. Sutherland, and Julia P. G. Jones. 2021. "Evaluating Impact Using Time-Series Data." *Trends in Ecology & Evolution* 36 (3): 196–205. <https://doi.org/10.1016/j.tree.2020.11.001>.

Wolf, Christopher, and William J. Ripple. 2017. "Range Contractions of the World's Large Carnivores." *Royal Society Open Science* 4 (7): 170052. <https://doi.org/10.1098/rsos.170052>.